

DANGER**KEEP OUT OF REACH OF CHILDREN****Score**[®] **250 EC**
Fungicide**syngenta**[®]**Active Ingredient:****SCORE® 250 EC contains 250 g/litre of DIFENOCONAZOLE in the form of an emulsifiable concentrate.****Also contains: 508 g/litre hydrocarbon liquids and 120 g/litre 2-pyrrolidinone,1-methyl.**

GROUP	3	FUNGICIDE
--------------	----------	------------------

For the control of Leaf Spots on Carrots,
Ring Spot on horticultural Brassicas,
Early Blight on Potatoes
and *Stemphylium* Leaf Spot on Asparagus.

Net Contents: 5 litres

*Registered pursuant to the ACVM Act 1997, No. P3900.
See www.foodsafety.govt.nz for registration conditions*

Approved pursuant to the HSNO Act 1996, Approval Code HSR000508.

Syngenta Crop Protection Limited
Level 4, 60 Parnell Road, Parnell, Auckland 1052

®

PLEASE READ THE LABEL COMPLETELY BEFORE USE

This product **MUST NOT** be used for any purpose or in any manner contrary to the controls and conditions of this registration.

Any person mixing, loading or handling this product must be a qualified loader or under the guidance of a qualified loader.

Any person applying this product must be a qualified contractor/person or under the guidance of a qualified contractor/person.

**GHS Classifications**

Flammable liquid Category 4

Aspiration hazard Category 1

Skin irritation Category 2

Eye irritation Category 2

Reproductive toxicity Category 1

Specific target organ toxicity (repeated exposure) Category 2

Hazardous to the aquatic environment acute Category 1

Hazardous to the aquatic environment chronic Category 1

DANGER

Combustible liquid.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause reproductive / development damage from repeated oral exposure.

May cause organ damage through prolonged or repeated oral exposure at high doses.

Very toxic to aquatic life with long lasting effects.

PRECAUTIONS

Store in original container, tightly closed, away from foodstuffs, in a cool well ventilated place.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. In case of fire use fine water spray or foam. During a fire this product may release smoke and hazardous decomposition products. When fighting a major fire wear an air-supplied respirator.

When mixing and applying, wear protective clothing, including face shield, chemical resistant gloves and footwear.

Avoid contact with skin and eyes and inhalation of spray mist.

If clothing becomes contaminated with product, remove clothing immediately.

DO NOT eat, drink or smoke while using.

Wash hands and face before eating, drinking or smoking and after work.

Wash protective clothing daily after use.

Apply with well maintained and calibrated spray equipment.

Records of use must be kept as per Clause 48 of the Hazardous Property Controls Notice 2017.

Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409.

DO NOT carry on a passenger service vehicle.

Avoid contamination of any water supply with chemical or empty container. Do NOT apply into or onto water.

Container disposal: Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Product disposal: Dispose of this product only by using according to the label, or at an approved landfill or other approved facility. For additional information refer to EPA Notice: Hazardous Substance (Disposal) Notice 2017.

FIRST AID

If SWALLOWED, DO NOT induce vomiting. Rinse Mouth. Immediately contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

If SKIN or HAIR contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

If in EYES, wash out immediately with water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If INHALED, move the victim to fresh air immediately.

Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. Take to hospital without delay.

For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor. If medical advice is needed, have product container or label at hand.

SPILLAGE

Collect spillage. Wear suitable protective clothing including face shield, chemical resistant gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

GENERAL INFORMATION

SCORE® 250 EC is a systemic triazole (DMI) fungicide with preventative and curative properties for the control of Leaf Spots on carrots, Ring Spot on horticultural brassicas, Early Blight on potatoes and *Stemphylium* Leaf Spot on asparagus. SCORE® 250 EC penetrates rapidly into the leaf tissue, where it acts curatively on the developing fungal infections by inhibiting the creation of sterols in fungal cell walls.

RESISTANCE MANAGEMENT

GROUP	3	FUNGICIDE
-------	----------	-----------

SCORE® 250EC fungicide contains a member of the triazole, or DMI group of fungicides. SCORE® 250EC is a Group 3 fungicide. Resistance to this fungicide could develop from repeated use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies. Since the occurrence of resistant fungi is difficult to detect prior to use, Syngenta Crop Protection Ltd accepts no liability for any losses that may result from the failure of SCORE® 250EC to control resistant fungi. Consult your local supplier, consultant, a Syngenta representative or New Zealand Plant Protection Society (Inc), www.resistance.nzpps.org for alternate modes of action and the details of resistance management strategies for the crops listed on the label.

DIRECTIONS FOR USE

It is an offence to use this product on animals.

Crop	Disease	Rate	Critical Comments
Asparagus	<i>Stemphylium</i> Leaf Spot	500 mL in 500 to 700 litres of water/ha	After close up of beds, apply at the first sign of the disease and repeat at 3 week intervals with a maximum of 3 applications during active fern growth. The addition of a non-ionic wetting agent at manufacturer's label recommendations is essential to assist coverage. Apply an approved protectant fungicide at other times. Aerial application: apply in a minimum of 100 litres water/ha to achieve satisfactory coverage.
Carrots	Leaf Spots (<i>Alternarial</i> <i>Cercospora</i>)		Apply at the first sign of the diseases and repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide at other times.
Brassicas Horticultural	Ring Spot		Apply at the first signs of the disease and depending on disease pressure, repeat at 2 to 3 week intervals with a maximum of 3 applications during active crop growth. Apply an approved protectant fungicide during crop maturity.
Potatoes	Early Blight		Apply at the first sign of disease and repeat at 2 week intervals with a maximum of 3 applications. Apply an approved protectant fungicide at other times.

SPRAY DRIFT

Take all reasonable steps to ensure that SCORE® 250 EC does NOT cause any adverse effects to the environment beyond the application area.

MIXING

SCORE® 250 EC mixes readily with water. Add the required amount of SCORE® 250 EC to the partly filled spray tank and add the remainder of the water with agitation.

APPLICATION

Ground: apply as a broadcast foliar application avoiding runoff.

COMPATIBILITY

SCORE® 250 EC is compatible with other commonly used fungicides and insecticides.

WITHHOLDING PERIODS

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds

Carrots.....	14 days
Horticultural Brassicas	14 days
Potatoes	14 days

STORAGE

Store in a cool dry well-ventilated place, avoiding temperatures below minus 10°C and above 35°C. Store locked up. See Safety Data Sheet for additional storage information. Stores containing quantities of 100 litres or more require signage and secondary containment. Stores with quantities of 500 litres or more require fire extinguishers.

SAFETY DATA SHEET

If additional hazard information is required, refer to the Safety Data Sheet. For a copy, visit our website at www.syngenta.co.nz.

DISCLAIMER

This product complies with the specifications in its statutory registration. Implied terms and warranties are excluded. Syngenta's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Syngenta shall have no liability.

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company



Distributed by and registered to Syngenta Crop Protection Limited, Level 4, 60 Parnell Road, Parnell, Auckland 1052. Phone 0800 333 336.

Bar code: 9414644 317546

Batch Number:	
Date of Manufacture	

<p>UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (difenoconazole) MARINE POLLUTANT PACKING GROUP III, HAZCHEM 3Z CONTAIN SPILLAGE</p>	
	
<p>In a transport emergency dial 111, Police or Fire Brigade. For specialist advice in an emergency only, call 0800 734 607 (24 hours).</p>	